



Instructions for the Discharge Notification Form to POTW Authority (Notification Form) for the *General Permit for Discharges from Miscellaneous Industrial Users (MIU GP)*

Use these instructions to complete the notification form for the General Permit for Discharges from Miscellaneous Industrial Users (DEEP-WPED-REG-012). Terms in “quotes” are defined in Appendix A of the **MIU GP**. These instructions are not a substitute for the requirements of the MIU GP or any relevant statutes or regulations.

Introduction--Connecticut state law requires all dischargers of wastewater to obtain a permit for their discharge (CGS Sec 22a-430). The MIU GP provides permit authorization for the discharge of many categories of industrial and commercial wastewater to sewage treatment plants (“POTW”s or “Publicly Owned Treatment Works”) in Connecticut when the discharger is not considered a “Significant Industrial User”.

The MIU GP replaces the **General Permit for Miscellaneous Discharges of Sewer Compatible Wastewater** (Miscellaneous GP) which expired October 30, 2020. One major change between the MIU GP and the Miscellaneous GP is that notification forms will now be submitted to the “applicable POTW Authority”, which includes the local sewer commission and the sewage treatment plant that receives the wastewater, instead of the Connecticut Department of Energy and Environmental Protection (DEEP). All dischargers of “Miscellaneous Industrial User Wastewater” must comply with the requirements of the MIU GP whether or not they need to submit a Notification Form.

What is “Miscellaneous Industrial User Wastewater”?

Miscellaneous Industrial User Wastewater (also known as “MIU wastewater”) can be industrial or commercial wastewater (not including kitchen or bathroom wastewater) that is discharged from an industrial or commercial site to a sanitary sewer collection system to be treated at a sewage treatment plant.

Key Information Needed to Complete the Notification Form

- Identify “process” and “non-process” MIU wastewaters
- Determine maximum daily flow of categories of wastewater as identified below

Group I: Process Wastewater Discharges

- “Commercial laundry wastewater”
- “Contact cooling and heating wastewater”
- “Cutting and grinding wastewater”
- “Food processing wastewater” (includes “Brewing/distilling wastewater”)
- “Non-destruct testing rinsewater”
- “Printing and photographic processing wastewater”

- “Reverse osmosis reject water”
- “Tumbling or cleaning of parts wastewater”
- “Water treatment wastewater”
- **Other process wastewaters**

Group II: Non-process Wastewater Discharges (All Flows)

- “Air compressor condensate & blowdown”
- “Boiler blowdown wastewater”
- “Building maintenance wastewater”
- “Fire suppression system testing wastewater”
- “Hydrostatic pressure testing wastewater”
- “Non-contact cooling water”
- “Potable water system maintenance or sampling wastewaters”
- “Swimming pool wastewater”
- “Vehicle maintenance wastewater”
- **Other non-process wastewaters**

Who Must Submit a Notification Form?

- “Industrial users” discharging Group I Process Wastewater with a cumulative maximum daily flow **greater than or equal to (\geq) 1,000 gpd and $<$ 25,000 gpd**
- Except for Vehicle Maintenance wastewater, Industrial users discharging Group II Non-process wastewater with a cumulative maximum daily flow **greater than or equal to (\geq) 5,000 gpd,**
- Industrial users discharging any flow of Vehicle Maintenance Wastewater
- Dischargers whose discharge information has changed in some way since the last notification
- Industrial users whose discharge will be transported to a POTW
- Industrial users whose discharge will require a variance to meet the applicable POTW Authority’s limits or effluent limits of Section 5(a) of the MIU GP (Attachment D to this Notification Form must be approved by the POTW Authority prior to submitting this form.)

*Note that dischargers of Group I Process Wastewater with a maximum daily flow \geq 25,000 gpd must register under DEEP’s **General Permit for the Discharge of Wastewater from Significant Industrial Users** or obtain an individual permit.*

Who Does Not Have to Submit a Notification Form?

- Industrial users discharging Group I Process Wastewater with a cumulative maximum daily flow less than 1,000 gpd who discharge directly to a sanitary sewer and do not require a variance
- Industrial users discharging Group II Non-process wastewater with a cumulative maximum daily flow less than 5,000 gpd who discharge directly to a sanitary sewer and do not require a variance

Where to Submit--Submit this Notification Form to each applicable POTW Authority that manages a portion of the sanitary sewer collection system the MIU wastewater is flowing through. For example, if a MIU wastewater discharge is initiated to a sanitary sewer collection system in one municipality and eventually is treated at a sewage treatment plant in another

municipality, the POTW Authorities for each municipality must receive a copy of this Notification Form. In some urban areas in Connecticut, POTW Authorities are actually regional authorities. Addresses for POTW Authorities/sewage treatment plants can be found at the end of these instructions.

Instructions— Below please find all sections of the *Discharge Notification Form to POTW Authority*. Instructions, where necessary, are in *blue italics*. **Dischargers cannot use these instructions as a Notification Form. A separate, clean Notification Form must be used.**

1. Facility Information:--Complete the information requested. Indicate "same" if the information has already been provided earlier on the form.

a. Facility Name:

(Provide the name of the facility at the site where the discharge is initiated. If the facility is part of a larger business registered with the Secretary of the State under a different name, add that name separated by a slash "/".)

Address:

(This is the site address of the facility producing the wastewater discharge.)

City/Town:

State:

b. Contact Person Name:

(This person must be an individual familiar with the details of the discharge, preferably located at the facility.)

Email Address:

Phone Number:

Mailing Address:

City/Town:

State:

c. Owner of parcel (as listed in Tax Assessor's office):

Email Address:

Phone Number:

Owner Mailing Address:

City/Town:

State:

2. Name of Receiving POTW (NPDES Permit Holder):

(This is the sewage treatment plant that receives sewage from one or more municipalities and discharges treated water to the waters of the state. The Receiving POTW will either be in the same municipality where the discharge initiates or a neighboring municipality to which the sanitary sewer collection system flows. A list of POTW Authorities/sewage treatment plants can be found at the end of these instructions.

The only exception involves discharges transported to a receiving POTW by truck. Attached to these instructions is a separate list of POTWs Approved to Accept Transported, Non-domestic Wastewaters.)

3. This form is being submitted to (check all that apply):

Provide notice of Group I Process Wastewater Discharges with cum. max flow ≥ 1000 gpd and $< 25,000$ gpd (*"cum. max flow" means the cumulative maximum daily flow and is the sum of all Group I Process Wastewater Discharges discharged from the facility on a given day. This box will be checked for all Notification Forms submitted under the MIU GP effective 10/31/2020 for a cumulative maximum daily flow of process wastewater $\geq 1,000$ gallons per day (gpd) and $< 25,000$ gpd even if a registration under the Miscellaneous GP or an individual permit had been obtained from DEEP in the past.)*

Provide notice of Group II Non-process Wastewater Discharges with cumulative max daily flow $\geq 5,000$ gpd (*This box will be checked for all Notification Forms submitted under the MIU GP effective 10/31/2020 for a cumulative maximum daily flow of non-process wastewater $\geq 5,000$ gpd even if a registration under the Miscellaneous GP or an individual permit had been obtained from DEEP in the past.)*

- Provide notice of any Vehicle Maintenance Wastewater discharges
(All flows of vehicle maintenance wastewater, defined in Appendix A of the MIU GP, require notification to the applicable POTWs.)
- Modify or correct previously provided information (for example, change in flow, chemistry, or ownership)
(This includes any information that has changed since a previous notification was submitted, including change of ownership. This may also include an increase or decrease in daily flow, a change in pollutants contained in the discharge, a change in chemicals added to the wastewater, or a change in treatment of the wastewater discharge.)
- Provide notice that a wastewater will be transported by a vehicle to a POTW
(This occurs when a facility does not have a sanitary sewer connection by pipe or is not authorized by the POTW to discharge to this pipe, and a licensed waste transporter must be contracted to transport the wastewater by truck to the sewage treatment plant. Attached to these instructions is a list of POTWs Approved for Transported, Non-domestic Wastewaters.)
- Request a variance to meet applicable POTW Authority's limits or effluent limits of Section 5(a) of the MIU GP
(The POTW Authority's local ordinances have effluent limits the discharge is required to meet. Section 5(a) of the MIU GP has effluent limits in Table 5-1 (page 18 of 76 of the MIU GP). The discharger must make reasonable efforts to meet these effluent limits before requesting a variance.)

4. a. Was the Discharge(s) previously authorized by a permit issued by CTDEEP:

- No
- Yes. Permit No. _____ (attach copy of authorization/registration certificate)
(The DEEP permit # may have begun with GCW, GFP, GHT, GMI, GNG, GPH, GVM, GVW, GVS, GWT, CTMIU, or SP.)

If "yes", have any changes to the discharge type/chemistry/volume occurred (explain):
(This may also include an increase or decrease in daily flow, a change in pollutants contained in the wastewater, a change in chemicals added to the wastewater, or a change in treatment of the wastewater since the discharge was last authorized.)

b. Date discharge began or will begin:

(Provide the date the discharge originally began or the anticipated date of when the facility plans to begin the discharge.)

5. If any of the following conditions exist, (check all that apply), skip 6 & 7 below and complete 8 below and Attachment A:

- The discharge is Vehicle Maintenance Wastewater
(see Appendix A(12) of the MIU GP for treatment requirements)
- For Process Wastewater Only, the cumulative max daily flow \geq 1000 gpd and $<$ 25,000 gpd **AND any of the following apply:**
 - Discharge has or could have BOD or TSS in excess of 600 mg/L
(BOD (biochemical oxygen demand) and TSS (total suspended solids) are two common parameters that an environmental lab could test for to characterize wastewater. See Attachment C—Discharge Analysis to the Notification Form.)
 - Is transported by vehicle to the receiving POTW
 - Has an increase in flow or change in chemistry since the most recent registration/notification
 - Requires a variance under Section 7(a) of the MIU GP to meet the applicable POTW Authority's limits or effluent limits of Section 5(a) of the MIU GP - **Requires completion of Attachment D and prior written approval of POTW Authority.**
(The POTW Authority's local ordinances have effluent limits the discharge is required to meet. Section 5(a) of the MIU GP has effluent limits in Table 5-1 (page 16 of 72 of the MIU GP). The discharger must make reasonable efforts to meet these effluent limits before requesting a variance.)
 - Requires treatment prior to discharge to meet the applicable POTW Authority's limits or effluent limits in

Section 5(a) of the MIU GP.
("Treatment" is defined in Appendix A of the MIU GP and will be specified in Attachment A to this form.)

6. This Discharge is for (check all that apply):

a. Up to 25,000 gallons per day (cumulative maximum daily flow, in gpd) of Group I Process Wastewater from: (indicate maximum daily flow for each)

(If you do not have to complete Attachment A to the Notification Form, here is where you will be indicating the maximum daily flows of each type of Group I Process wastewater discharged from your facility. The cumulative maximum daily flow is the sum of all Group I Process wastewaters (do not include domestic sewage which consists of kitchen and bathroom wastewater from sinks, showers, and toilets.)

- | | |
|---|--|
| <input type="checkbox"/> Commercial laundry _____ gpd | <input type="checkbox"/> Non-destruct testing _____ gpd |
| <input type="checkbox"/> Contact cooling/heating _____ gpd | <input type="checkbox"/> Printing/photo processing _____ gpd |
| <input type="checkbox"/> Cutting/grinding _____ gpd | <input type="checkbox"/> Reverse osmosis reject _____ gpd |
| <input type="checkbox"/> Food processing (include any brewing/distilling) gpd | <input type="checkbox"/> Tumbling/cleaning _____ gpd |
| <input type="checkbox"/> Brewing/distilling _____ gpd | <input type="checkbox"/> Water treatment _____ gpd |
| <input type="checkbox"/> Other (describe): _____ gpd | |

(This is a catch-all category for any industrial or commercial wastewater that meets the definition of process wastewater but does not fit one of the specific categories above.)

Total Flow from all Group I Process Wastewater Discharges: _____ gpd

*(If the total or cumulative maximum daily flow from all Group I Process Wastewater is \geq 25,000 gpd, the facility is considered a Significant Industrial User (SIU) and must register under the **General Permit for Discharges from Significant Industrial Users**, available from DEEP.)*

b. Discharges of Group II Non-Process Wastewater from: (indicate max daily flow for each)

(If you do not have to complete Attachment A to the Notification Form, here is where you will be indicating the maximum daily flows of each type of Group II Non-Process wastewater discharged from your facility.)

- | | |
|---|--|
| <input type="checkbox"/> Air comp. condensate/blowdown _____ gpd | <input type="checkbox"/> Hydrostatic pressure testing _____ gpd |
| <input type="checkbox"/> Boiler blowdown _____ gpd | <input type="checkbox"/> Non-contact cooling _____ gpd |
| <input type="checkbox"/> Building maintenance _____ gpd | <input type="checkbox"/> Potable water system maint/sampling _____ gpd |
| <input type="checkbox"/> Fire suppression system testing _____ gpd | <input type="checkbox"/> Swimming pool _____ gpd |
| <input type="checkbox"/> Other, including wastewater transported by vehicle (describe): _____ / _____ gpd | |

(This is a catch-all category for any industrial or commercial wastewater that meets the definition of non-process wastewater but does not fit one of the specific categories above.)

Total Flow from all Group II Non- Process Wastewater Discharges: _____ gpd

7. Discharge duration:

- Continuous (hrs/day) _____

(A continuous discharge is one that flows throughout the operating day of the facility, stopping only occasionally for maintenance, process changes, or similar activities. Hrs/day is the hours per day the discharge flows.)

- Intermittent; Frequency of discharge: _____

(An intermittent discharge is often a batch or seasonal discharge that might collect in a large container and be discharged at various times during the day or week.)

More detail (e.g., day(s) of week, time(s) of day): _____

(Use this space to provide more detail about the frequency of the discharge. Volume of wastewater discharged per time period is helpful detail.)

8. Each of the following POTW Authorities have been provided copies of this notification form in addition to the receiving POTW: _____

(As indicated in the opening paragraphs, this notification form must be submitted to each applicable POTW)

Authority that manages a portion of the sanitary sewer collection system the MIU wastewater is flowing through. Please indicate the names of all the POTW Authorities by municipality to whom Notifications will be submitted. A list of POTW Authorities can be found at the end of these instructions.)

Attachments (Each attachment has its own associated instructions.)

- Attachment A — **Detailed Discharge Information**—if required by question 5, above.
- Attachment B — **Qualified Professional Certification for Treatment**—see Section 4(c)(3)(B) of the MIU GP
- Attachment C — **Discharge Analysis**—For existing discharges of **Group I Process** and **Group II Other non-process wastewater only**, one screening analysis from the testing of a sample taken within 90 days of notification for pollutants specified by Section 5(b)(1) of the MIU GP, shall be submitted with the notification form.
- Attachment D—**Request for Variance**—**Prior approval required by POTW Authority.**
- Attachment E—**Additional Information**—if required by POTW Authority. (This attachment does not have a specific form to use.)

9. Industrial User Certification—(The “Industrial User” is the facility producing the discharge. If the Industrial User is a corporation, this certification must be read and signed by a responsible corporate officer which means: a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy-or decision-making functions for the corporation, or the manager of one or more manufacturing, production, or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding twenty-five million dollars (in second quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

If the Industrial User is a municipality, State, Federal, or other public agency; this section must be read and signed by either a principal executive officer or a ranking elected official. For purposes of this section, a principal executive officer of a federal agency includes (1) the chief executive officer of the agency, or (2) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency. If the facility is a POTW, the chairperson of the Water Pollution Control Authority may sign these documents.

If the Industrial User is a limited liability company (LLC), this section must be read and signed by a manager, if management of the LLC is vested in a manager(s) in accordance with the company’s “Articles of Organization”, or a member of the LLC if no authority is vested in a manager(s).)

Qualifying Statements: Water Pollution Control Facility (WPCF) and Water Pollution Control Authority (WPCA) List

This table is a compilation of available information from the Water Permitting and Enforcement Division of DEEP, the Municipal Wastewater Group of DEEP, and the Connecticut Water Pollution Abatement Association.

Individuals in positions at WPCFs and WPCAs can change over time. These changes will not be reflected in this list.

Municipal websites should be checked for the most up-to-date information. If information is missing in this list, contact the municipality.

Note:

The general permit requires notification forms to be sent to the POTW Authority or his or her designee. For towns that operate a WPCF, this is often delegated to the WPCF contact. Therefore we have provided the information for both.

If a town's sewer system discharges to more than one WPCF, the Industrial User must contact the town to determine which is their receiving WPCF.

POTW Contact Information

Town	Water Pollution Control Facility	WEBSITE ADDRESS	Name	Title	Address	City	State	Postal Code	E-mail
ANDOVER	Municipality uses septic systems								
ANSONIA	ANSONIA WPCF	For WPCA https://ansonaiawpca.org/#:~:text=Long%20	BRIAN CAPOZZI	SUPERINTENDENT	NORTH DIVISION STREET	ANSONIA	CT	06401-	bcapozzi@ansoniac.org
ASHFORD	Municipality uses septic systems		TIM BACKUS	CHAIRPERSON WPCA	5 TOWN HALL ROAD	ASHFORD	CT	06278	
AVON	*SENDS WASTEWATER TO CANTON, FARMINGTON, OR SIMSBURY	For WPCA https://www.avonct.gov/water-pollution-control-authority	TIMOTHY D. FOSTER	SUPERINTENDENT	60 West Main Street	Avon	CT	06001	tfoster@avonct.gov
BARKHAMSTED	Municipality uses septic systems								
BEACON FALLS	BEACON FALLS WPCF	For WPCA https://www.beaconfalls-ct.org/water-pollution-control-authority	WALTER OPUSZYNSKI	SUPERINTENDENT	411 LOPUS ROAD	BEACON FALLS	CT	06403-	wpfc@townofbeaconfalls.com
BERLIN	MATTABASSETT DISTRICT WPCF	http://www.mattabassettdistrict.org/	ARTHUR SIMONIAN	EXECUTIVE DIRECTOR	245 MAIN STREET	CROMWELL	CT	06416-	asimonian@mattdist.org
BERLIN	*SENDS WASTEWATER TO MATTABASSETT DISTRICT		RAY JAREMA	CHAIRPERSON WATER CONTROL COMMISSION	240 KENSINGTON ROAD	BERLIN	CT	06037-	rjarema@town.berlin.ct.us
BETHANY	Municipality uses septic systems								
BETHEL	*SENDS WASTEWATER TO DANBURY WPCF	Denier GMC https://www.denier-ct.gov/content/117/385/409.aspx danbury	MATT KNICKERBOCKER	FIRST SELECTMAN	1 SCHOOL STREET	BETHEL	CT	06810-	firstselectman@bethel-ct.gov
BETHLEHEM	Municipality uses septic systems								
BLOOMFIELD	HARTFORD MDC WPCF	https://themdc.org/wastewater-treatment/	JEFFERY S BOWERS	SUPERINTENDENT	240 BRAINARD ROAD PO BOX 800	HARTFORD	CT	06142-	JBowers@themdc.com
BOLTON	*SENDS WASTEWATER TO MANCHESTER WPCF	https://bolton.govoffice.com/index.asp?SEC		SUPERINTENDENT	120 THRALL ROAD	MANCHESTER	CT	06040-0191	WHO@manchesterct.gov
BOZRAH	Municipality uses septic systems								
BRANFORD	BRANFORD WPCF	https://www.branford-ct.gov/departments/water/	DAN GREGORY	SUPERINTENDENT	75 BLOCK ISLAND ROAD P O BOX 445	BRANFORD	CT	06405-	dgregory@branford-ct.gov
BRANFORD			MARK WINIK	CHAIRPERSON WPCA	P O BOX 150	BRANFORD	CT	06405-	mwinik@aol.com
BRIDGEPORT	BRIDGEPORT WPCF EAST & WEST	https://www.bridgeportct.gov/wpca	LAUREN MAPPA	GENERAL MANAGER	695 SEAVIEW AVENUE	BRIDGEPORT	CT	06605-	lauren.mcbennettmappa@Bridgeportct.gov
BRIDGEWATER	Municipality uses septic systems								
BRISTOL			ELIZABETH PHELAN	CHAIRPERSON WPCA	119 RIVERSIDE AVE	BRISTOL	CT	06011	
BRISTOL	BRISTOL WPCF	http://www.bristolwaterdept.org/content.php?page	SEAN HENNESSEY	MANAGER	111 NORTH MAIN STREET	BRISTOL	CT	06010-	SENHENNESSEY@bristolct.gov
BROOKFIELD	*SENDS WASTEWATER TO DANBURY	wpca: https://www.brookfieldct.gov/water-pollution-control-authority	NELSON MALWITZ	CHAIRPERSON WPCA	100 POCONO ROAD P O BOX 5106	BROOKFIELD	CT	06804-	nelson@brookfieldwpca.com
BROOKLYN	*SENDS WASTEWATER TO KILLINGLY	wpca: https://www.brooklynct.org/water-pollution-control-authority	DAVID FUSS	CHAIRPERSON WPCA	P O BOX 171	BROOKLYN	CT	06234-	info@earthfirstconstructionllc.com
BURLINGTON	SENDS WASTEWATER TO Canton, Bristol, or Farmington WPCF	https://www.burlingtonct.us/water-pollution-control/	WILLIAM PARENTE	CHAIRPERSON WPCA	200 SPIELMAN HIGHWAY	BURLINGTON	CT	09013-	selectmsoffice@burlingtonct.us
CANAAN	Municipality uses septic systems								
CANTERBURY	Municipality uses septic systems								
CANTON	CANTON WPCF	wpca: http://www.townofcantonct.org/content/441	ROGER IGNAZIO	SUPERINTENDENT	4 MARKET STREET P O BOX 168	COLLINSVILLE	CT	06022-	Rignazio@TownofCantonCT.org
CANTON			ART MAUGER	CHAIRPERSON WPCA	4 MARKET STREET P O BOX 168	COLLINSVILLE	CT	06022-	
CHAPLIN	Municipality uses septic systems								
CHESHIRE	CHESHIRE WPCF	wpca: https://www.cheshirect.org/public-works/water-pollution-control/	SCOTT HALLIER	SUPERINTENDENT	1325 CHESHIRE STREET	CHESHIRE	CT	06410-	
CHESHIRE			TIM PELTON	CHAIRPERSON WPCA	TOWN HALL SOUTH MAIN STREET ⁸⁴	CHESHIRE	CT	06410-	tim@holdsworth-pelton.com
CHESTER	*SENDS WASTEWATER TO DEEP RIVER	wpca: http://chesterct.org/town-government/water-pollution-control/	BERT ARMINGTON	CHAIRPERSON WPCA	203 MIDDLESEX AVENUE	CHESTER	CT	06412-	wpca@chester.org
CLINTON	Municipality uses septic systems		MATT KENNEDY	CHAIRPERSON WPCF	54 EAST MAIN STREET	CLINTON	CT	06413-	smickens@clintonct.org
COLCHESTER	*SENDS WASTEWATER TO EASTHAMPTON	https://www.easthamptonct.gov/colchester-east	JIM PAGGIOLI	PUBLIC WORKS DIRECTOR	127 NORWICH AVENUE	COLCHESTER	CT	06415-	jpaggioli@colchesterct.gov
COLEBROOK	Municipality uses septic systems								
COLUMBIA	Municipality uses septic systems								
CORNWALL	Municipality uses septic systems								
COVENTRY	COVENTRY WPCF	https://www.coventryct.org/186/Water-Pollution	MIKE RUEF	SUPERINTENDENT	1712 MAIN STREET	COVENTRY	CT	06238-	mruef@coventryct.org
COVENTRY			MATTHEW TWERDY	CHAIRPERSON WPCA	1712 MAIN STREET	COVENTRY	CT	06238-	mtwerdy@charter.net
CROMWELL	MATTABASSETT DISTRICT WPCF	http://www.mattabassettdistrict.org/	ARTHUR SIMONIAN	EXECUTIVE DIRECTOR	245 MAIN STREET	CROMWELL	CT	06416-	asimonian@mattdist.org
CROMWELL			ALLAN SPOTTS	CHAIRPERSON WPCA	41 WEST STREET	CROMWELL	CT	06416-	
DANBURY	DANBURY WPCF	https://www.danbury-ct.gov/government/departmen	DAVID DAY	SUPERINTENDENT	53 NEWTOWN ROAD	DANBURY	CT	06811-	
DARIEN	*SENDS WASTEWATER TO STAMFORD	http://www.darienct.gov/content/28025/285							
DEEP RIVER	DEEP RIVER WPCF	https://www.deepriverct.us/water-pollution-control/	PETE LEWIS	SUPERINTENDENT	99 WINTER AVENUE	DEEP RIVER	CT	06417-	plewis@deepriverct.us
DEEP RIVER			TED MACKENZIE	CHAIRPERSON WPCA	174 MAIN STREET	DEEP RIVER	CT	06417-	

POTW Contact Information

Town	Water Pollution Control Facility	WEBSITE ADDRESS	Name	Title	Address	City	State	Postal Code	E-mail
DERBY	DERBY WPCF	https://www.derbyct.gov/water-pollution-control-authority	EDD ABEL	SUPERINTENDENT	1 ELIZABETH STREET	DERBY	CT	06418-	eabel@derbyct.gov
DERBY			JACK WALSH	CHAIRPERSON WPCA	1 ELIZABETH STREET	DERBY	CT	06418-	duhaim123@aol.com
DURHAM	Municipality uses septic systems								
EAST GRANBY	MDC-POQUONOCK	https://eastgranbyct.org/water-pollution-control	CARL VEILLEUX	SUPERINTENDENT	P O BOX 800	HARTFORD	CT	06142-	cveilleux@themdc.com
EAST GRANBY			CHARLES FRANCIS	CHAIRPERSON WPCA	9 CENTER STREET O BOX 1858	EAST GRANBY	CT	06026-	charlieF@egtownhall.com
EAST HADDAM	EAST HADDAM WPCF	https://www.easthaddam.org/water-pollution-control	JAMES VENTRES	SUPERINTENDENT	P O BOX K	EAST HADDAM	CT	06423-	admin.landuse@easthaddam.org
EAST HADDAM			ANDREW LORD	CHAIRPERSON WPCA	1 PLAINS ROAD P O BOX 385	MOODUS	CT	06469-	awlordis@gmail.com
EAST HAMPTON	EAST HAMPTON/COLCHESTER WPCF	https://www.easthamptonct.gov/water-pollution-control	BEN GILMORE	SUPERINTENDENT	P O BOX 218	EAST HAMPTON	CT	06424-	bgilmore@easthamptonct.gov
EAST HAMPTON			MARK BARMASSE	CHAIRPERSON WPCA	P O BOX 218	EAST HAMPTON	CT	06424-	mark.barmasse@arcadis-us.com
EAST HARTFORD	MDC	https://themdc.org/wastewater-treatment/	MARK KAJKA	SUPERINTENDENT	P O BOX 800	HARTFORD	CT	06142-	mkajka@themdc.com
EAST HAVEN	SENDS WASTEWATER TO NEW HAVEN WPCF	https://gnhwpc.com/	CHRISTOPHER FINDLEY	IPP Coordinator	345 EAST SHORE PARKWAY	NEW HAVEN	CT	06512-	cfindley@gnhwpc.com
EAST LYME			MARK NICKERSON	CHAIRPERSON WATER AND SEWER COMMISSION	108 PENNSYLVANIA AVE. P O BOX 519	NIANTIC	CT	06357-	mnickerson@eltonhall.com
EAST WINDSOR	EAST WINDSOR WPCF	https://www.eastwindsor-ct.gov/water-pollution-control	E. ARTHUR ENDERLE III	SUPERINTENDENT	P O BOX 359	EAST WINDSOR	CT	06088-	aenderle@eastwindsorct.com
EAST WINDSOR			PAUL ANDERSON	CHAIRPERSON WPCA	P O BOX 359	EAST WINDSOR	CT	06088-	
EASTFORD	Municipality uses septic systems								
EASTON	Municipality uses septic systems								
ELLINGTON			DANIEL PARISI	CHAIRPERSON WPCA	21 MAIN STREET	ELLINGTON	CT	06029-	
ENFIELD	ENFIELD WPCF	https://www.enfield-ct.gov/317/Water-Pollution	MIKE FINOIA	SUPERINTENDENT	90 PARSONS ROAD	ENFIELD	CT	06082-	mfinoia@enfield.org
ENFIELD			SCOTT KAUPIN	MAYOR/CHAIRPERSON WPCA	820 ENFIELD STREET	ENFIELD	CT	06082	skaupin@enfield.org
ESSEX		https://www.essexct.gov/water-pollution-control	SUSAN MALAN	CHAIRPERSON WPCA	29 WEST AVENUE	ESSEX	CT	06426	smalan@essexct.gov
FAIRFIELD	FAIRFIELD WPCF	https://fairfieldct.org/wpc	WILLIAM NORTON	SUPERINTENDENT	330 ONE ROD HIGHWAY	FAIRFIELD	CT	06430-	wnorton@fairfieldct.org
FAIRFIELD			BRYAN THOMPSON	CHAIRPERSON WPCA	137 ELM STREET	FAIRFIELD	CT	06430-	eboman@fairfieldct.org
FAIRFIELD	GEORGETOWN WPCF			SUPERINTENDENT	P.O. BOX 300	GEORGETOWN	CT	06829-	
FARMINGTON	FARMINGTON WPCF	https://www.farmington-ct.org/departments/water-pollution-control	MARK BATORSKI	SUPERINTENDENT	1 MONTEITH DRIVE	FARMINGTON	CT	06032-	batorskim@farmington-ct.org
FARMINGTON			JAMES FOOTE	CHAIRPERSON WPCA	1 MONTEITH DRIVE	FARMINGTON	CT	06032-	jamesgoote@ogind.com
FRANKLIN		https://www.franklinct.com/water-pollution-control	RICHARD MATTERS	FIRST SELECTMAN	7 MEETINGHOUSE HILL ROAD	FRANKLIN	CT	06254-	franklin@99main.com
GLASTONBURY	GLASTONBURY WPCF	https://www.glastonbury-ct.gov/water-pollution-control	MICHAEL J BISI	SUPERINTENDENT	2149 MAIN STREET	GLASTONBURY	CT	06033-	mike.bisi@glastonbury-ct.gov
GLASTONBURY			JOHN M. TANSKI	CHAIRPERSON WPCA	2155 MAIN STREET	GLASTONBURY	CT	06033	jtanski@axinn.com
GOSHEN		https://www.goshenct.gov/water-pollution-control	CHRIS ZAVAGNIN	CHAIRPERSON WPCA	42A NORTH STREET	GOSHEN	CT	06756	chrizav@gmail.com
GRANBY			WILLIAM SMITH	TOWN MANAGER	12 NORTH GRANBY ROAD	GRANBY	CT	06035	williamsmith@granby-ct.gov
GREENWICH		https://www.greenwichct.gov/259/Sewer	RICHARD FEMINELLA	WASTEWATER DIVISION MANAGER	101 FIELD POINT ROAD	GREENWICH	CT	06830	rfeminella@greenwichct.org
GREENWICH	GRASS ISLAND WPCF			SUPERINTENDENT	P O BOX 2540	GREENWICH	CT	06836-	
GREENWICH	GREENWICH AMERICAN CENTRE		PETER SCHMITT	SUPERINTENDENT	1 AMERICAN LANE	GREENWICH	CT	06831-	pschmitt@tishmanspeyer.com
GRISWOLD		https://www.greenwichct.gov/259/Sewer	MIKE LALIMA	CHAIRPERSON WPCA	9 EAST MAIN STREET	GRISWOLD	CT	06351	mlalima@ct.metrocast.net
GRISWOLD	JEWETT CITY WPCF	http://www.jewettcitydpu.com/	JIM MORGAN	SUPERINTENDENT	52 WEDGEWOOD DRIVE	JEWETT CITY	CT	06351-	super.wwp@sbcglobel.net
GROTON	GROTON CITY WPCF	http://www.groton-ct.gov/depts/pubwks/wpcf.asp	KEVIN L CINI	SUPERINTENDENT	311 THAMES STREET	GROTON	CT	06340-	cinik@cityofgroton-ct.gov
GROTON	GROTON TOWN WPCF			SUPERINTENDENT	45 FORT HILL ROAD	GROTON	CT	06340-	
GUILFORD	Municipality uses septic systems		JOE NUGENT	CHAIRPERSON WPCA	423 WHITFIELD STREET	GUILFORD	CT	06437	bnugent@snet.net
HADDAM	Municipality uses septic systems								
HAMDEN	SENDS WASTEWATER TO NEW HAVEN WPCF	https://gnhwpc.com/	CHRISTOPHER FINDLEY	IPP Coordinator	345 EAST SHORE PARKWAY	NEW HAVEN	CT	06512-	cfindley@gnhwpc.com
HAMPTON	Municipality uses septic systems								
HARTFORD	HARTFORD MDC WPCF	https://themdc.org/what-we-do/wastewater-treatment	JEFFERY S BOWERS	SUPERINTENDENT	240 BRAINARD ROAD PO BOX 800	HARTFORD	CT	06142-	JBowers@themdc.com
HARTLAND	Municipality uses septic systems								
HARWINTON			JOE RINALDI	CHAIRPERSON WPCA	100 BENTLEY DRIVE O BOX 66	HARWINTON	CT	06791-	joseph.rinaldi@snet.net

POTW Contact Information

Town	Water Pollution Control Facility	WEBSITE ADDRESS	Name	Title	Address	City	State	Postal Code	E-mail
HEBRON			KEVIN KELLY	DIRECTOR OF PUBLIC WORKS	15 GILEAD STREET	HEBRON	CT	06248-	kkelly@hebronct.com
HEBRON	SENDS WASTEWATER TO EAST HAMPTON/COLCHESTER WPCF	wpcfa: https://www.hebronct.com/town-departments/water-pollution-authority/	BEN GILMORE	SUPERINTENDENT	P O BOX 218	EAST HAMPTON	CT	06424-	bgilmore@easthamptonct.gov
KENT	KENT WPCF	https://www.townofkent.org/sewer-commission		SUPERINTENDENT	P O BOX 144	KENT	CT	06757-	
KENT			ELISSA POTTS	CHAIRPERSON WPCA	125 SCHAGHTICOKE ROAD	KENT	CT	06757-	
KILLINGLY	KILLINGLY WPCF	https://www.killingly.org/water-pollution-control	MARK CATALDO	SUPERINTENDENT	P O BOX 686	DANIELSON	CT	06239-	mark.cataldo@suez.com
KILLINGLY			GERARD CINQMARS	CHAIRPERSON WPCA	172 MAIN STREET	DANIELSON	CT	06239-	engineering@killinglyct.org
KILLINGWORTH	Municipality uses septic systems								
LEBANON	SENDS WASTEWATER TO EAST HAMPTON/COLCHESTER WPCF	https://www.lebanontownhall.org/water-pollution	BEN GILMORE	SUPERINTENDENT	P O BOX 218	EAST HAMPTON	CT	06424-	bgilmore@easthamptonct.gov
LEDYARD	LEDYARD WPCF	https://www.town.ledyard.ct.us/63/Water-Pollut	STEVE BANKS	SUPERINTENDENT	741 COLONEL LEDYARD HIGHWAY	LEDYARD	CT	06339-	pollutioncontrol@sbcglobal.net
LEDYARD			ED LYNCH	CHAIRPERSON WPCA	741 COLONEL LEDYARD HIGHWAY	LEDYARD	CT	06339-	wpc.ledyard@ledyardct.org
LISBON	SENDS WASTEWATER TO JEWETT CITY WPCF	https://www.lisbonct.com/water-pollution-control	JIM MORGAN	SUPERINTENDENT	52 WEDGEWOOD DRIVE	JEWETT CITY	CT	06351-	super.wwp@sbcglobal.net
LITCHFIELD	LITCHFIELD WPCF	https://www.townoflitchfield.org/water-pollution	TED DONAHUE	SUPERINTENDENT	P O BOX 343	LITCHFIELD	CT	06759-	wpc@townoflitchfield.org
LYME	Municipality uses septic systems								
MADISON	Municipality uses septic systems								
MANCHESTER	MANCHESTER WPCF	http://waterandsewer1.townofmanchester.org/index.cfm/about-us/		SUPERINTENDENT	P.O. Box 0191, 41 Center Street	MANCHESTER	CT	06045-0191	860-647-3115
MANCHESTER	8th Utilities District			Public Works Director	18 Main St.	Manchester	CT	6042	860-643-9648
MANSFIELD	SENDS WASTEWATER TO WINDHAM WPCF		KIRK WASHINGTON	SUPERINTENDENT	P O BOX 257	WILLMANTIC	CT	06226-	superintendent@wpcfbiz
MANSFIELD	UNIVERSITY OF CONNECTICUT WPCF	https://fo.uconn.edu/departments/facilities-energy	RIAN SAVAGE	SUPERINTENDENT	40 LEDOYT ROAD EXT.	STORRS	CT	06268-	rian.savage@uconn.edu
MARLBOROUGH	SENDS WASTEWATER TO EAST HAMPTON/COLCHESTER WPCF	https://www.marlbroughct.net/index.php/water	BEN GILMORE	SUPERINTENDENT	P O BOX 218	EAST HAMPTON	CT	06424-	bgilmore@easthamptonct.gov
MERIDEN	MERIDEN WPCF	https://www.meridenct.gov/city-services/utilities	FRANK RUSSO	SUPERINTENDENT	226 EVANSVILLE AVENUE	SOUTH MERIDEN	CT	06451-	frusso@meridenct.gov
MIDDLEBURY	SENDS WASTEWATER TO NAUGATUCK WPCF	https://www.middlebury-ct.org/wpc1	JOHN BATORSKI	JOHN BATORSKI PLANT MANAGER	500 CHERRY STREET	NAUGATUCK	CT	06770-	
MIDDLEBURY			ROBERT W. SMITH	CHAIRPERSON WPCA	1212 WHITTEMORE ROAD	MIDDLEBURY	CT	06762-	
MIDDLEFIELD	SENDS WASTEWATER TO MATTABASSETT DISTRICT WPCF	wpcfa: http://www.middlefieldct.org/water-pollution	ARTHUR SIMONIAN	EXECUTIVE DIRECTOR	245 MAIN STREET	CROMWELL	CT	06416-	asimonian@mattdist.org
MIDDLEFIELD			ROBERT POTURNICKI, JR	CHAIRPERSON WPCA	393 JACKSON HILL ROAD; PO BOX 179	MIDDLEFIELD	CT	06455	
MIDDLETOWN	SENDS WASTEWATER TO MATTABASSETT DISTRICT WPCF	wpcfa: http://www.cityofmiddletown.com/569/W	ARTHUR SIMONIAN	EXECUTIVE DIRECTOR	245 MAIN STREET	CROMWELL	CT	06416-	asimonian@mattdist.org
MIDDLETOWN			DALE ALDIERI	CHAIRPERSON WPCA	82 BERLIN STREET	MIDDLETOWN	CT	06457-	d.aldieri82@gmail.com
MILFORD	MILFORD WPCF'S	https://www.ci.milford.ct.us/wastewater-division	LINDSAY KING	SUPERINTENDENT					lking@ci.milford.ct.us
MILFORD			LEE S COOKE	CHAIRPERSON SEWER COMMISSION	70 WEST RIVER STREET	MILFORD	CT	06460-	
MILFORD	MILFORD BEAVER BROOK WPCF		STEVE GAUIDO	SUPERINTENDENT	75 DEERWOOD AVENUE	MILFORD	CT	06460-	sgaudio@ci.milford.ct.us
MILFORD	MILFORD HOUSATONIC WPCF			SUPERINTENDENT	1255 ORONOQUE ROAD	MILFORD	CT	06461-	
MONROE	Municipality uses septic systems								
MONTVILLE	MONTVILLE WPCF	https://www.montvillewpcfa.com/#:~:text=Montville	DEREK J. ALBERTSON	SUPERINTENDENT	51 PINK ROW	UNCASVILLE	CT	06382-	dalbertson@montville-ct.org
MORRIS	SENDS WASTEWATER TO LITCHFIELD WPCF	https://www.townoflitchfield.org/water-pollution	TED DONAHUE	SUPERINTENDENT	P O BOX 343	LITCHFIELD	CT	06759-	wpc@townoflitchfield.org
NAUGATUCK	NAUGATUCK WPCF	http://www.naugatuck-ct.gov/content/115/360/7a	JOHN BATORSKI	JOHN BATORSKI PLANT MANAGER	500 CHERRY STREET	NAUGATUCK	CT	06770-	
NEW BRITAIN	MATTABASSETT DISTRICT WPCF	http://www.mattabassettdistrict.org/#:~:text=Lebanon	ARTHUR SIMONIAN	EXECUTIVE DIRECTOR	245 MAIN STREET	CROMWELL	CT	06416-	asimonian@mattdist.org
NEW BRITAIN			MICHELLE RYAN	DISTRICT ENGINEER	245 MAIN STREET	CROMWELL	CT	06416-	mryan@mattdist.org
NEW BRITAIN	New Britain WPCA		GIL BLYGH	DEPUTY DIRECTOR	27 West Main St	New Britain	CT	06051	
NEW CANAAN	NEW CANAAN WPCF	wastewater treatment: https://www.newcanaan.info/departments/p	JIM ROGERS	SUPERINTENDENT	77 MAIN STREET	NEW CANAAN	CT	06840-	james.rogers@ci.new-canaan.ct.us
NEW FAIRFIELD	Municipality uses septic systems								
NEW HARTFORD	NEW HARTFORD WPCF	wpcfa: https://www.newhartfordct.gov/water-pollution-control-authority	DAYNE YATES	SUPERINTENDENT	530 MAIN STREET	New Hartford	CT	6057	
NEW HARTFORD			Denton Butler	Chair, WPCA	530 MAIN STREET	New Hartford	CT	6057	
NEW HAVEN	NEW HAVEN WPCF	https://gnhwpcfa.com/	CHRISTOPHER FINDLEY	IPP Coordinator	345 EAST SHORE PARKWAY	NEW HAVEN	CT	06512-	cfindley@gnhwpcfa.com
NEW HAVEN	GREATER NEW HAVEN WPCA	https://gnhwpcfa.com/			260 EAST STREET	NEW HAVEN	CT	06511-	

POTW Contact Information

Town	Water Pollution Control Facility	WEBSITE ADDRESS	Name	Title	Address	City	State	Postal Code	E-mail
NEW LONDON	NEW LONDON WPCF		PETER VETTER	SUPERINTENDENT	100 TRUMBULL STREET	NEW LONDON	CT	06320-	peter.vetter@veolia.com
NEW MILFORD	NEW MILFORD WPCF	http://www.newmilford.org/content/3088/24045	SHANE MCCANNON	SUPERINTENDENT	P O BOX 178	NEW MILFORD	CT	06776-	smccannon@nmwpcfa.org
NEWINGTON	HARTFORD MDC WPCF	http://www.mattabassetdistrict.org/	JEFFERY S BOWERS	SUPERINTENDENT	240 BRAINARD ROAD PO BOX 800	HARTFORD	CT	06142-	JBowers@themdc.com
NEWTOWN	NEWTOWN WPCF	https://www.newtown-ct.gov/water-sewer-authority		SUPERINTENDENT	24 COMMERCE ROAD	NEWTOWN	CT	06470-	
NORFOLK	NORFOLK WPCF		WILLIAM E. HESTER	SUPERINTENDENT	P O BOX 402	NORFOLK	CT	06058-	whester@norfolkct.org
NORTH BRANFORD	SENDS WASTEWATER TO BRANFORD WPCF	https://www.branford-ct.gov/departments/water-pollution-control#:~:text=The%20Town%20of%20Branford%20owns,a%20portion%20of%20North%20Branford							
NORTH BRANFORD	SENDS WASTEWATER TO NEW HAVEN WPCF	https://enhwpcfa.com/	CHRISTOPHER FINDLEY	IPP Coordinator	345 EAST SHORE PARKWAY	NEW HAVEN	CT	06512-	cfindley@gnhwpcfa.com
NORTH BRANFORD	SENDS WASTEWATER TO NORTH HAVEN WPCF	http://www.northhaven-ct.gov/government/town	MARK BARROWS	SUPERINTENDENT	122 UNIVERSAL DRIVE NORTH	NORTH HAVEN	CT	06473-	mark.barrows@veoliawaterna.com
NORTH CANAAN	CANAAN FIRE DISTRICT WPCF		WILLIAM MINACCI	SUPERINTENDENT	P O BOX 101	CANAAN	CT	06018-	
NORTH HAVEN	NORTH HAVEN WPCF	http://www.northhaven-ct.gov/government/town	MARK BARROWS	SUPERINTENDENT	122 UNIVERSAL DRIVE NORTH	NORTH HAVEN	CT	06473-	mark.barrows@veoliawaterna.com
NORTH STONINGTON	Municipality uses septic systems								
NORWALK	NORWALK WPCF	http://www.wpcanorwalk.org/#:~:text=The%20	MONTY SEDLAK, PMP, PGMP	PROJECT MANAGER, JACOBS	60 SOUTH SMITH STREET	EAST NORWALK	CT	06855-	monty.sedlak@jacobs.com
NORWICH	NORWICH WPCF	https://norwichpublicutilities.com/residential/septic	LARRY SULLIVAN	SUPERINTENDENT	16 SOUTH GOLDEN STREET	NORWICH	CT	06360-	larrysullivan@npsmail.com
NORWICH			KEN BELLINGER	NORWICH PUBLIC UTILITIES					kenbellinger@NPUmail.com
OLD LYME	SENDS WASTEWATER TO NEW LONDON WPCF	wpcfa: http://www.oldlyme-ct.gov/water-pollution-control-authority	PETER VETTER	SUPERINTENDENT	100 TRUMBULL STREET	NEW LONDON	CT	06320-	peter.vetter@veolia.com
OLD SAYBROOK	Municipality uses septic systems	https://www.oldsaybrookct.gov/water-pollution-control-authority							
ORANGE	DERBY WPCF	wpcfa: https://www.orange-ct.gov/776/WPCA	EDD ABEL	SUPERINTENDENT	1 ELIZABETH STREET	DERBY	CT	06418-	eabel@derbyct.gov
ORANGE	WEST HAVEN WPCF		KEVIN DAHL P.E.	SUPERINTENDENT	2 BEACH STREET	WEST HAVEN	CT	06516-	kevin.dahl@ch2m.com
OXFORD	OXFORD WPCA	https://www.oxford-ct.gov/water-pollution-control	FRED D'AMICO	CHAIRMAN					
OXFORD	NAUGATUCK WPCF		JOHN BATORSKI	JOHN BATORSKI PLANT MANAGER	500 CHERRY STREET	NAUGATUCK	CT	06770-	
OXFORD	SEYMOUR WPCF		WALTER ROYALS	SUPERINTENDENT	723 DERBY AVE EXT	SEYMOUR	CT	06483-	walter.royals@veolia.com
PEQUOT TRIBAL NATION	PEQUOT TRIBAL NATION WWTP (MASHANTUCKET)	https://www.mptn-nsn.gov/tribaldepts.aspx	DAVID S DROBIAK	SUPERINTENDENT	P.O. BOX 3034	MASHANTUCKET	CT	06339-	ddrobiak@mptn-nsn.gov
PLAINFIELD	PLAINFIELD WPCF	wpcfa: https://www.plainfieldct.org/wpcfa.asp							
PLAINVILLE	PLAINVILLE WPCF	wpcfa: https://www.plainvillect.com/water-pollution-control-facility	JOE ALOSSO	SUPERINTENDENT	1 CENTRAL SQUARE	PLAINVILLE	CT	06062-1955	jalosso@att.net
PLYMOUTH	PLYMOUTH WPCF	http://www.plymouthct.us/WPCA/	TERRANCE VIGEANT	SUPERINTENDENT	80 MAIN STREET	TERRYVILLE	CT	06786-	tmvig@snet.net
POMFRET	POMFRET SCHOOL	https://www.pomfretct.gov/water-pollution-control	JAMES HUMES	SUPERINTENDENT	398 POMFRET STREET	POMFRET	CT	06258-	jhumes@pomfretschool.org
PORTLAND	PORTLAND WPCF	https://www.portlandct.org/sewer	JAMES LYNCH	SUPERINTENDENT	TOWN HALL, P O BOX 71	PORTLAND	CT	06480-	portlandit@sbcglobal.net
PRESTON	SENDS WASTEWATER TO NORWICH WPCF		LARRY SULLIVAN	SUPERINTENDENT	16 SOUTH GOLDEN STREET	NORWICH	CT	06360-	larrysullivan@npsmail.com
PROSPECT	SENDS WASTEWATER TO WATERBURY WPCF	https://www.townofprospect.org/boards/water-pollution-control	Lee Pandiani	IPP Coordinator	210 MUNICIPAL ROAD	WATERBURY	CT	06708-	Lee.Pandiani@jacobs.com
PUTNAM	PUTNAM WPCF	wpcfa: https://www.putnamct.us/water-pollution-control-authority	BRIAN LYNCH	SUPERINTENDENT	126 CHURCH STREET	PUTNAM	CT	06260-	brian.lynych@putnamct.us
REDDING	REDDING WPCF	https://townofreddingct.org/about-redding/boards							michael.didato@putnamct.us
RIDGEFIELD	RIDGEFIELD WPCF	https://www.ridgefieldct.org/water-pollution-control		SUPERINTENDENT	22 SOUTH STREET	RIDGEFIELD	CT	06877-	
ROCKY HILL	ROCKY HILL WPCF	https://themdc.org/what-we-do/wastewater-treatment	Bruce Lundie	SUPERINTENDENT	P O BOX 800	HARTFORD	CT	06142-	blundie@themdc.com
ROXBURY	Municipality uses septic systems								
SALEM	Municipality uses septic systems								
SALISBURY	SALISBURY WPCF	http://salisburyct.us/meetings/swcpa	JOHN WHALEN	SUPERINTENDENT	P.O. BOX 175	LAKEVILLE	CT	06039-	
SCOTLAND	Municipality uses septic systems								
SEYMOUR	SEYMOUR WPCF	wpcfa: http://www.seymourct.org/WPCA-Department/	WALTER ROYALS	SUPERINTENDENT	723 DERBY AVE EXT	SEYMOUR	CT	06483-	walter.royals@veolia.com
SHARON	SHARON WPCF	https://www.msconsultants.com/project/sharon-wpcfa	MARK SWEENEY	SUPERINTENDENT	TOWN HALL, P O BOX 385	SHARON	CT	06069-	town.sharon@snet.net
SHELTON	SHELTON WPCF	http://cityofshelton.org/water-pollution-control-authority	THOMAS E. SYM	SEWER ADMINISTRATOR	54 HILL STREET P.O. BOX 364	SHELTON	CT	06484-	t.sym@cityofshelton.org
SHERMAN	Municipality uses septic systems								
SIMSBURY	SIMSBURY WPCF	wpcfa: https://www.simsbury-ct.gov/water-pollution-control-authority	TONY PIAZZA	SUPERINTENDENT	36 DRAKE HILL ROAD	SIMSBURY	CT	06070-	apiazza@simsbury-ct.gov
SOMERS	SOMERS WPCF	https://www.somersct.gov/town-departments/land-use-services/water-pollution-control	STEVEN JACOBS	SUPERINTENDENT	TOWN HALL, PO BOX 308	SOMERS	CT	06071-	sjacobs@somersct.gov
SOUTH WINDSOR	SOUTH WINDSOR WPCF	http://www.southwindsor-ct.gov/water-pollution-control-authority	TONY MANFRE	SUPERINTENDENT	1540 SULLIVAN AVENUE	SOUTH WINDSOR	CT	06074-	anthony.manfre@southwindsor.org

POTW Contact Information

Town	Water Pollution Control Facility	WEBSITE ADDRESS	Name	Title	Address	City	State	Postal Code	E-mail
SOUTH WINDSOR			JEFF LEMAY	CHIEF PLANT OPERATOR					jeff.lemay@southwindsor.org
SOUTH BURY	SOUTH BURY WPCF	https://www.southbury-ct.org/content/20556/206	MARC LANCOR	CHAIRPERSON	601 MAINE STREET SOUTH	SOUTH BURY	CT	06488-	
SOUTH BURY	SOUTH BURY TRAINING SCHOOL	https://www.southbury-ct.org/content/20556/206	GREGORY D BLEAU SR	SUPERINTENDENT	P O BOX 872	SOUTH BURY	CT	06488-	gregory.bleau@ct.gov
SOUTHINGTON	SOUTHINGTON WPCF	http://www.southington.org/content/17216/17216	PETER STALLINGS	SUPERINTENDENT	12 MAXWELL NOBLE DRIVE	PLANTSVILLE	CT	06479-	stallingsp@southington.org
SPRAGUE	SPRAGUE WPCF	https://www.ctsprague.org/group.htm?id=gg72a	TODD HASTINGS	SUPERINTENDENT	1 MAIN STREET, P O BOX 162	BALTIC	CT	06330-	sws@ctsprague.org
STAFFORD	STAFFORD WPCF	wpcf: http://www.staffordct.org/wpcf.php	RICK HARTENSTEIN	SUPERINTENDENT	P O BOX 101	STAFFORD SPRINGS	CT	06076-	Hartenstein@staffordct.org
STAFFORD	JOHNSON MEMORIAL HOSPITAL: SOON TO BE DIRECT TO STAFFORD WPCF			SUPERINTENDENT	201 CHESTNUT HILL ROAD	STAFFORD SPRINGS	CT	06076-	
STAMFORD	STAMFORD WPCF	https://www.stamfordct.gov/stamford-water-poll	BILL BRINK	SUPERINTENDENT	111 HARBOR VIEW AVENUE	STAMFORD	CT	06902-	bbrink@stamfordct.gov
STAMFORD			ROBERT PUDELKA	PLANT SUPERVISOR					
STERLING	SENDS WASTEWATER TO PLAINFIELD WPCF	wpcf: https://www.sterlingct.us/boards-commiss							
STONINGTON	STONINGTON WPCF	https://www.stonington-ct.gov/water-pollution-a	JOHN MARCIN	SUPERINTENDENT	38 MARYHALL ROAD	PAWCATUCK	CT	06379-	john.marcin@unitedwater.com
STRATFORD	STRATFORD WPCF	http://www.townofstratford.com/content/39832a	THOMAS HYDE	SUPERINTENDENT	105 BEACON POINT ROAD	STRATFORD	CT	06615-	thyde@townofstratford.com
SUFFIELD	SUFFIELD WPCF	https://www.suffieldct.gov/departments/wpcf#	JAMIE KRELLER	SUPERINTENDENT	844 EAST STREET SOUTH	SUFFIELD	CT	06078-	jkreller@suffieldct.gov
THOMASTON	THOMASTON WPCF	http://www.thomastonct.org/content/161/236/13	RICHARD TINGLE	SUPERINTENDENT	P O BOX 58	THOMASTON	CT	06787-	richtwpcf@sbcglobal.net
THOMPSON	THOMPSON WPCF	https://www.thompsonct.org/water-pollution-co	DAVID CHAPUT	SUPERINTENDENT	40 RIVERSIDE DRIVE	THOMPSON	CT	06277-	
TOLLAND	VERNON WPCF	wpcf: https://www.tolland.org/water-pollution-ct	ROBERT I. GRASIS	WPCA DIRECTOR	P O BOX 22	VERNON	CT	06066-	rgrasis@vernon-ct.gov
TORRINGTON	TORRINGTON WPCF	wpcf: https://www.torringtonct.org/water-pollution-control-authority	RAYMOND E. DREW	SUPERINTENDENT	140 MAIN STREET	TORRINGTON	CT	06790-	ray_drew@torringtonct.org
TRUMBULL	TRUMBULL WPCA	https://www.trumbull-ct.gov/294/Water-Pollutio	RICHARD BOGGS	CHAIRPERSON	5866 MAIN STREET	TRUMBULL	CT	06611-	
TRUMBULL	SENDS WASTEWATER TO BRIDGEPORT WPCF EAST & WEST		LAUREN MAPPA	GENERAL MANAGER	695 SEAVIEW AVENUE	BRIDGEPORT	CT	06605-	lauren.mcbennettmappa@Bridgeportct.gov
TRUMBULL	SENDS WASTEWATER TO FAIRFIELD WPCF		WILLIAM NORTON	SUPERINTENDENT	330 ONE ROD HIGHWAY	FAIRFIELD	CT	06430-	wnorton@fairfieldct.org
TRUMBULL	SENDS WASTEWATER TO STRATFORD WPCF		THOMAS HYDE	SUPERINTENDENT	105 BEACON POINT ROAD	STRATFORD	CT	06615-	thyde@townofstratford.com
UNION	Municipality uses septic systems								
VERNON	VERNON WPCF	wpcf: http://www.vernon-ct.gov/water-pollution	ROBERT I. GRASIS	WPCA DIRECTOR	P O BOX 22	VERNON	CT	06066-	rgrasis@vernon-ct.gov
VOLUNTOWN	Municipality uses septic systems								
WALLINGFORD	WALLINGFORD WPCF	https://www.wallingford.ct.us/government/depar	TERRY SMITH	SUPERINTENDENT	155 JOHN STREET	WALLINGFORD	CT	06492-	terry.smith@wallingfordct.gov
WARREN	Municipality uses septic systems								
WASHINGTON	Municipality uses septic systems								
WATERBURY	WATERBURY WPCF	https://www.waterburyct.org/wpc	Lee Pandiani	IPP Coordinator	210 MUNICIPAL ROAD	WATERBURY	CT	06708-	Lee.Pandiani@jacobs.com
WATERFORD	SENDS WASTEWATER TO NEW LONDON WPCF	waterford: https://www.waterfordct.org/utility-co	PETER VETTER	SUPERINTENDENT	100 TRUMBULL STREET	NEW LONDON	CT	06320-	peter.vetter@veolia.com
WATERTOWN	WATERBURY WPCF	wpcf: http://www.watertownct.org/content/10290/	Lee Pandiani	IPP Coordinator	210 MUNICIPAL ROAD	WATERBURY	CT	06708-	Lee.Pandiani@jacobs.com
WEST HARTFORD	HARTFORD MDC WPCF	https://themdc.org/wastewater-treatment/	JEFFERY S BOWERS	SUPERINTENDENT	240 BRAINARD ROAD PO BOX 800	HARTFORD	CT	06142-	JBowers@themdc.com
WEST HAVEN	WEST HAVEN WPCF	https://www.cityofwesthaven.com/201/Water-Po	KEVIN DAHL P.E.	SUPERINTENDENT	2 BEACH STREET	WEST HAVEN	CT	06516-	kevin.dahl@ch2m.com
WESTBROOK	Municipality uses septic systems								
WESTON	Municipality uses septic systems								
WESTPORT	WESTPORT WPCF	wpcf: https://www.westportct.gov/government/de	MANNY FURTADO	SUPERINTENDENT	110 MYRTLE AVENUE	WESTPORT	CT	06880-	mfurtado@westportct.gov
WHETHERSFIELD	HARTFORD MDC WPCF	https://themdc.org/wastewater-treatment/	JEFFERY S BOWERS	SUPERINTENDENT	240 BRAINARD ROAD PO BOX 800	HARTFORD	CT	06142-	JBowers@themdc.com
WILLINGTON	Municipality uses septic systems								
WILTON	WILTON WPCA	https://www.wiltonct.org/water-pollution-contro	LYNNE VANDERSLICE	CHAIRPERSON	238 DANBURY ROAD	WILTON	CT	06897-	
WILTON	SENDS WASTEWATER TO NORWALK WPCF		MONTY SEDLAK, PMP, PGMP	PROJECT MANAGER, JACOBS	60 SOUTH SMITH STREET	EAST NORWALK	CT	06855-	monty.sedlak@jacobs.com
WINCHESTER	WINSTED WPCF	https://www.townofwinchester.org/water-sewer	RICHARD KEMP	SUPERINTENDENT	338 MAIN STREET	WINSTED	CT	06098-	winstedwpcf@sbcglobal.net
WINDHAM	WINDHAM WPCF	https://www.windhamct.com/departments.ht	KIRK WASHINGTON	SUPERINTENDENT	P O BOX 257	WILLIMANTIC	CT	06226-	superintendent@wpcf.biz
WINDSOR	MDC-POQUONOCK	https://themdc.org/wastewater-treatment/	CARL VEILLEUX	SUPERINTENDENT	P O BOX 800	HARTFORD	CT	06142-	cveilleux@themdc.com
WINDSOR LOCKS	WINDSOR LOCKS WPCF	https://www.windsorlocksct.org/wpcf/water-poll	GARY KUCZARSKI	SUPERINTENDENT	1 STANTON ROAD	WINDSOR LOCKS	CT	06096-	gkuczarski@wlocks.com
WOLCOTT	WATERBURY WPCF	https://www.waterburyct.org/wpc	Lee Pandiani	IPP Coordinator	210 MUNICIPAL ROAD	WATERBURY	CT	06708-	Lee.Pandiani@jacobs.com

POTW Contact Information

Town	Water Pollution Control Facility	WEBSITE ADDRESS	Name	Title	Address	City	State	Postal Code	E-mail
WOODBIDGE	SENDS WASTEWATER TO NEW HAVEN WPCF	https://gnhwpc.com/	CHRISTOPHER FINDLEY	IPP Coordinator	345 EAST SHORE PARKWAY	NEW HAVEN	CT	06512-	cfindley@gnhwpc.com
WOODBURY	Municipality uses septic systems								
WOODSTOCK	WOODSTOCK ACADEMY	https://www.townofwoodstock.com/index.php/g	JOE CAMPBELL	SUPERINTENDENT	57 ACADEMY ROAD	WOODSTOCK	CT	06281-	

Connecticut Publicly Owned Treatment Works (POTWs) Approved to Accept Transported, Non-domestic Wastewaters

<u>Facility</u>	<u>Mailing Address</u>	<u>Facility Address</u>	<u>City</u>	<u>Zip</u>	<u>Chief Operator/Contact</u>	<u>Phone</u>
Deep River	99 Winter Ave.	99 Winter Ave.	Deep River	06417	Peter Lewis	860-526-6044
Killingly	PO Box 6000 Danielson, CT 06239-6000	31 Wauregan Road	Killingly	06239-6000	Glen Tatro	(860) 779-5392
Metropolitan District Commission (MDC)	PO Box 800 555 Main St	240 Brainard Road	Hartford	06142-0800	Tom Tyler/ Craig Scott	860-278-7850
Mattabassett District	245 Main Street	245 Main Street	Cromwell	06416-2302	David Stille	860-635-5550
Naugatuck (Veolia Water)	500 Cherry Street	500 Cherry Street	Naugatuck	06770	John Batorski	203-723-1433 x. 2015
New Haven	325 East Shore Parkway	345 East Shore Parkway	New Haven	06512	Gary Zrelak	(203)466-5280 x222
New London	100 Trumbull Street	100 Trumbull Street	New London	06320	Peter Vetter	(860) 447-5257
New Milford	PO Box 178	123 West Street	New Milford	06776	Michael Ducey	860-355-1049
Norwalk	60 South Smith Street	60 South Smith Street	East Norwalk	06855	Robert Sardaro	203-584-3212
Stamford	1 Harbor View Ave.	1 Harbor View Ave.	Stamford	06902	Bill Degnan	203-977-4590
Torrington	WPC Munic Bldg 140 Main Street	251 Lower Bogue Road	Torrington	06790	Raymond Drew	860-485-9166
Windham/Willimantic	PO Box 257	2 Main Street	Willimantic	06226	Dave Garand	860-465-3078

Please note that the generator of the wastewater must have either applied for and obtained an individual wastewater permit or must have authorization under a general wastewater permit before wastewater can be transported to a POTW.

Visit the DEEP Permits & Licenses webpage at www.ct.gov/deep/permits&licenses for information and permit application forms. Plants above have a specific approval to receive over-the-road wastes without having to obtain a 454 permit.

[Title 22a Chapters 439 to 446m](#)

[Environmental Protection](#)

[Chapter 446k Secs. 22a-416 to 22a-599](#)

[Water Pollution Control](#)